


RENOLIT ALKORPLAN 2000/3000/TOUCH/CERAMICS

Reinforced pool liner to enhance your swimming pool





Reinforced membranes are the most widely-used pool liners in the world.

Nowadays, it is the most advantageous system on the market and the one presents the fewest problems.

Its attractive appearance, reasonable price, fast and easy installation and absolute water-tightness, guaranteed for 10 years, have made it the most widely-used pool waterproofing system in the world.

With RENOLIT ALKORPLAN

this won't happen ...!

Minimum maintenance... and very easy to clean!

No more detached mosaic tiles.

No more black joints.

No more flaking paintwork.





RENOLIT ALKORPLAN makes your dreams come true.

Our pool liners convert even the most modest pool into the centre of attraction in your garden, regardless of its size or its location

RENOLIT ALKORPLAN and its many options help you create a unique and exclusive setting for your enjoyment.

No matter what your garden looks like RENOLIT ALKORPLAN allows you to create an unique, customised area just for you.





RENOLIT ALKORPLAN is the ideal liner for residential pools and public swimming pools.

Many hotel pools, Olympic pools or aquatic park pools in Europe have **RENOLIT ALKORPLAN** liners installed in them, as apart from requiring minimum maintenance, they guarantee complete water-tightness and it is possible to install them in half the time it takes to install other systems.

Their flexibility and resistance allow them to adapt to any pool shape and cope with large user flows.

Benefits of the RENOLIT ALKORPLAN liner in public swimming pools.


- It can be installed on any surface.
- Clean installation, with no noise and in half the time it takes to install other liners.
- It requires practically no maintenance.
- Ideal for renovating pools with problems or those in places difficult to access.
- No matter the size and shape of the pool.

7 RENOLIT ALKORPLAN RENOLIT ALKORPLAN 8









RENOLIT ALKORPLAN CERAMICS range





	Ref.	Width (m)	Thickness (mm)	Length (m)
Sofia	35617201	1,65	2,0	21
Atenea	35617202	1,65	2,0	21
Selene	35617203	1,65	2,0	21
Etna	35617204	1,65	2,0	21





RENOLIT ALKORPLAN Unicolor Non-Slip

Available in the entire RENOLIT ALKORPLAN2000




RENOLIT ALKORPLAN Non-Slip print


Only available in the **RENOLIT ALKORPLAN3000** Persia Blue, Carrara and Bysance Blue.








RENOLIT ALKORPLAN2000 Sand



Relax in your crystal clear, lukewarm pool as if you were on an exotic, remote, tropical beach.


RENOLIT ALKORPLAN2000 Light Blue



Eternal pools filled with light, colour and joy in which to enjoy memorable moments.

19 RENOLIT ALKORPLAN 20

Light Blue Non-Slip



The deep blue of the Mediterranean in colourful, effervescent pools for making the most of the summer.


21 RENOLIT ALKORPLAN 22

RENOLIT ALKORPLAN2000 Width

Adriatic Blue

Adriatic Blue Non-Slip

RENOLIT ALKORPLAN2000 Caribbean Green




Exotic pools, with crystal clear Caribbean like waters that invite you to break with routine and stress.

RENOLIT ALKORPLAN 24

Caribbean Green Non-Slip

RENOLIT ALKORPLAN2000 Light Grey



Cosmopolitan minimalist and extremely beautiful pools that will never go out of fashion.

25 RENOLIT ALKORPLAN 26

Light Grey Non-Slip

RENOLIT ALKORPLAN2000 Dark Grey



that will add a note of prestige and beauty to your garden.

RENOLIT ALKORPLAN 28 27 RENOLIT ALKORPLAN


RENOLIT ALKORPLAN3000 Blue Greek



where you are the star.

29 RENOLIT ALKORPLAN RENOLIT ALKORPLAN 30

RENOLIT ALKORPLAN3000 Persia Blue









Classic pools that always look good are always the best choice.

RENOLIT ALKORPLAN3000 Persia Sand



Pools with soft, elegant colours that give off light and harmony making bathing a treat for the senses.


RENOLIT ALKORPLAN3000 Persia Black



that will add a touch of distinction to your garden.

35 RENOLIT ALKORPLAN RENOLIT ALKORPLAN 36

RENOLIT ALKORPLAN3000 Mosaic



Beautiful, glimmering pools that evoke the luxury of the magnificent times of yesteryear.


RENOLIT ALKORPLAN3000 Carrara




dappy pools with bluish tones and elegant prints, perfect for pool shells with irregular shapes or those with flaws.



that attract all gazes, making bathing a pleasure.








It looks like... but isn't!

RENOLIT ALKORPLAN CERAMICS a 2mm embossed pool liner with the aesthetic appeal and texture of the mosaic tiled designs of Greek Myths.

With the aesthetics of classic Greece, RENOLIT ALKORPLAN CERAMICS is one of the most thicker, resistant and lasting liners of the market.

Advantages of the system:


- 1 Guaranteed watertight.
- 2 Quick and easy installation compared to glass mosaic tiling.
- 3 No fallen tiles or crumbling grout.
- 4 Minimum maintenance.
- 5 The 2mm thickness creates a more durable and resilient membrane.
- 6 Easy to weld with an immaculate finish.





No detached tiles or crumbling grouting!!






No detached tiles or crumbling grouting!!









No detached tiles or crumbling grouting!!





No detached tiles or crumbling grouting!!







RENOLIT ALKORPLAN TOUCH

Are you aware of RENOLIT ALKORPLAN TOUCH?



The reinforced membrane RENOLIT ALKORPLAN TOUCH fulfills the two fundamental objectives of a swimming pool:

- 1 Assure a completely watertight structure.
- 2 The most beautiful finish possible.

The reinforced membrane is the most visible element and will make your pool absolutely unique and exclusive.

RENOLIT ALKORPLAN TOUCH protects your garden and home against possible flooding by pool water. Even if the substructure is cracked, the water will always remain where it should be ... in the pool.

In addition, the relief designs of RENOLIT ALKORPLAN TOUCH give character to any pool and allow you to create a unique and individual space in your garden.

RENOLIT ALKORPLAN TOUCH







Reinforced liner with exclusive 3D designs and prints, inspired by nature

You can turn your home into a haven of design and character

RENOLIT ALKORPLAN TOUCH is the first reinforced membrane with a heavily riven stone finish. At 2mm thick it is the strongest and most resistant liner in the market. The imaginative design of the liner makes it the most appropriate element for adding

a personal note to your pool and making your home a unique place. The TOUCH liners emulate nature through adding a simulated stone finish to exotic baths, adding personality and singularity to the pools in which they are used, making each pool unique.

You will have a unique and exclusive pool!











Elegance	
1,65 m	35517301
1,65 m Non-Sip	81122401








35517403



759 RENOLIT ALKORPLAN RENOLIT ALKORPLAN 60













NOT ALL GEOTEXTILES ARE THE SAME!!

RENOLIT ALKORPLUS geotextile is made of blue polypropylene, which is rot-proof, and always marked with the RENOLIT ALKORPLUS brand.

Advantages:

- 1) The fungicide treatment prevents the proliferation of bacteria under the membrane.
- 2 The geotextile disguises any small imperfection that may exist in the structure of the substrate under the membrane.
- 3 A much more comfortable feel for the
- 4) Helps to maintain the temperature of the pool water.



Reference	Width (m)
81006005	1,50 *
81006006	1,65
81006007	2,00

^{*}Specific for butt welding.

Advice for conserving your RENOLIT ALKORPLAN liner



Carry out a daily test to ensure the the chlorine level is 1ppm and that the pH is between 7.0–7.6




If you disinfect your swimming pool with chlorine or with a salt electrolysis machine it is essential than the level of the chlorine is 1ppm and the pH level is between 7.0 and 7.6.


If you disinfect with bromide the level should be 1ppm and the pH level between 7 and 8. Excessive use of bromide can cause the liner to become brown in colour.






If the pool has a salt chlorinator you must add stabilizer at the beginning of the season








This prevents the chlorinator producing more chlorine than neccesary, which could bleach the liner and irritate eyes.





It is necessary that the TA level is maintained between 100 and 175ppm




We recommend checking the PA level weekly or after rainfall.





Protect your swimming pool in summer and winter and do not empty it



In the summer keep the water level constant.

In winter protect skimmers and filter systems against frost. Ask a pool specialist for the best winter treatment to keep the water in perfect condition the following season. Above all cover the swimming pool in winter.






Never use well water or water from an unknown source to fill the swimming pool

If the water does not come for the mains supply or from a guaranteed tanker it is very probable that the water will contain diluted metals such as iron, copper or magnesium.

These minerals can react with the chemical products and produce stains on the liner.

If this happens ask a specialist to carry out a treatment with **RENOLIT ALKORPLUS Antistain**.





No chemical products should come into direct contact with the liner

The correct and safest way of introducing any chemical product into the swimming pool is by using the skimmer with the circulation pump working.

If it is powder, granules or liquid and it is required to be put directly into the swimming pool, it must be diluted before in a bucket of water, and poured into different areas of the swimming pool. The circulation pump must always be in use to prevent concentration of a product in one area.

Avoid the use of floating dispensers because they can spend too much time in the same position and can bleach the liner.







Do not use chemical products which contain copper

Always read the level of the composition of the chemical products that you use, especially those for algae

Some anti-algae products contain copper sulphate, these should be avoided.

Use anti- algae with a quaternary ammonia base. These are the best products for your hair and your skin. If by accident you have used a product containing copper, you should apply **RENOLIT ALKORPLUS Antistain.**







Avoid a build up of dirt and calcareous deposits on the waterline

The lacquer that protects the **RENOLIT ALKORPLAN** laminate will repel dirt; however, low maintenance and high bathing loads will accelerate the build up of waterline deposits.

Regular cleaning of the waterline with **RENOLIT ALKORCLEAN**® applied with a sponge or cloth will prevent the build up of grease and scale and avoid permanent staining.







Never use abrasive tools or aggressive cleaning products

Do not use aggressive chemical products or cleaning equipment, such as solvents; brushes with wire or stiff bristles; and abrasive pads or cloths that will damage the membrane. The liner is coated with a protective lacquer which is stain and dirt resistant, however it may be damaged if cleaned with abrasive materials or solvents.

RENOLIT ALKORCLEAN® is an ideal and efficient cleaner for your liner. It may be ordered though your Swimming Pool Specialist.







RENOLIT Belgium N.V. Industriepark De Bruwaan 43 9700 Oudenaarde - Belgium Phone: +32 55 33 98 14 Fax: +32 55 31 86 58

e-mail: renolit.belgium@renolit.com

RENOLIT Nordic A/S

Naverland 31 2600 Glostrup - Denmark Phone: +45 43 64 46 33

Fax: +45 43 64 46 38 e-mail: renolit.nordic@renolit.com

RENOLIT France SASU

Roissypôle - Le Dôme 5 rue de la Haye - BP 10943 95733 Roissy CDG Cedex - France

Phone: +33 141 84 30 26 Fax: +33 149 47 07 39

e-mail: renolitfrance-piscine@renolit.com

RENOLIT SE, Germany

Horchheimer Str. 50 67547 Worms

Phone: +49 06241 268039-0 e-mail: schwimmbad@renolit.com

RENOLIT Magyarország Kft. Hegyalja út 7-13

1016 Budapest - Hungary Phone: +36 1 457 81 64 Fax: +36 1 457 81 60

e-mail: renolit.hungary@renolit.com

000 RENOLIT-Rus, Russia BP "Rumyantsevo" block V, office 414 V Kievskoye shosse 22 km, pos. Moskovskiy, h.4, bld. 2

108811 Moscow

Phone: +7 495 995 1615 Fax:+7 495 995 1614 e-mail: info@renolit.ru

RENOLIT ISTANBUL

Ağaoğlu My Office İş Merkezi Barbaros Mah. Çiğdem Sok. No:1 Kat: 5 Daire: 24 34746 Ataşehir İstanbul

Office: +90 216 688 42 90/91/92

Fax: +90 216 688 42 93

e-mail: burak.karaagac@renolit.com

RENOLIT Polska sp. z o.o. ul. Szeligowska 46 – Szeligi 05-850 Ożarów Mazowiecki - Poland Phone: +48 22 722 30 87

Fax: +48 22 722 47 20

RENOLIT Italia srl

35127 Padóva - Italy Phone: +39 049 099 47 22

Fax: +39 049 870 05 50

Via Uruquay 85

e-mail: renolit.polska@renolit.com

e-mail: renolit.italia@renolit.com

RENOLIT Portugal, unipessoal, Lda.

Parque Industrial dos Salgados da Póvoa Apartado 101

2626-909 Póvoa de Santa Iria - Portugal

Phone: +351 219 568 306 Fax: +351 219 568 315

e-mail: renolit.portugal@renolit.com

RENOLIT Ibérica, S.A. (SPAIN & EXPORT)

Ctra. del Montnegre, s/n

08470 Sant Celoni (Barcelona) - Spain Phone: SPAIN: +34 93 848 42 08 Phone: ExPORT: +34 938 48 42 40

Fax: +34 93 867 55 17

e-mail: renolit.iberica@renolit.com

UK sales RENOLIT Ibérica s.A.

c/o G.G. Tomkinson Ltd. The Willows, Pattenden Lane Marden, Kent TN12 9QJ - UK Phone: +44 7387 158288 e-mail: Jb@jbinlimbo.co.uk

RENOLIT India PVT.LTD.

9, Vatika Business Centre, Vatika Atrium, III Floor,

Block-B, Sector 53, Golf Course Road,

Gurgaon 122002 - India Phone: + 91 124 4311267 Fax: + 91 124 4311100

e-mail: alok.marwaha@renolit.com

This document substitutes and annuls any other that has been previously published on the same subject.

The colours shown in this catalogue can vary from the original. RENOLIT reserves the right to change colours and designs.

www.renolit.com/swimmingpool www.renolit.alkorplan-touch.com

